

POWER TAKE-OFF **3.2.79.8.**

FOR GEARBOX :

ISUZU MSA, 5D, 5G, 5P, 5S
MXA 5R, 5S, 6R



Technical data: refer to transmission application manual.

OUTPUT TORQUE:

20 kgm. (increase of 50% for intermittent service).

WEIGHT: kg. 9,1

3.2.79.8.X.XX.1.X

BASIC SERIAL NUMBER _____

VERSION _____

- 1** = PNEUMATIC CONTROL
- 3** = MECHANICAL PUSH-PULL CONTROL
- 4** = ELECTRIC CONTROL
- 5** = VACUUM CONTROL

COMPANION FLANGE FOR REMOTE TRANSMISSION

- 0** = NO OPTION
- 1** = SPICER 1120 CODE 2.05.054.0000
- 2** = SPICER 1300 CODE 2.05.055.0000
- 3** = DIN 00 CODE 2.05.056.0000
- 6** = DIN 10 CODE 2.05.077.0000


OUTPUT SHAFT OPTION

OUTPUT SHAFT OPTION

DESCRIPTION	CODE	
	SIDE A	SIDE B
For remote transmission (see chart X group A)	01	02
Direct mounting PZB pumps-3 bolt mtg. flange (see chart Y type A)	03	04


* Output shaft option SIDE A **only** for pneumatic and mechanical push-pull control.

ELECTRIC CONTROL



REF.	CODE	DESCRIPTION	QT.
1	1.11.01.151.00	Gear 33 T	1
2	1.14.01.048.00	Shaft	1
3	0.10.06.007.00	Needle cage K25x35x30	1
4	1.01.02.141.00	Housing	1
5	0.10.01.001.00	Bearing 6205	2
6	1.13.01.155.00	Shaft	1
7	0.07.02.004.00	Circlip 52i UNI 7437	2
8	1.11.07.164.00	Gear 19 T	1
9	1.14.03.087.00	Shaft	1
10	0.08.01.005.00	Seal 20x30x7	1
11	1.28.01.084.00	Coil spring	1
12	1.26.01.110.00	Spacer	1
13	0.07.03.001.00	Circlip RS15 UNI 7434	2
14	0.08.02.014.00	O-Ring OR 3081	1
15	0.07.02.049.00	Circlip 20i UNI 7437	1
16	1.22.01.050.00	Fork	1
17	0.12.01.044.00	Plug 52x7	1
18	1.29.01.001.00	Gasket PTO/gearbox SAE 6-bolt/metr.0,5	1
19	0.10.06.008.00	Needle cage K25x35x25	1
20	0.05.02.001.00	Roll pin 4x18 UNI 6873	1
21	1.27.01.033.00	Washer 43x25,2x2	2
22	0.08.99.005.00	Gasket 1"	1
23	0.12.01.074.00	Retainer 1" Gas	1

VACUUM CONTROL



REF.	CODE	DESCRIPTION	QT.
1	1.11.01.088.00	Gear 33 T	1
2	1.27.01.033.00	Washer 43x25,2x2	2
3	0.10.06.007.00	Needle cage K25x35x30	1
4	1.01.02.141.00	Housing	1
5	0.12.01.044.00	Plug 52x7	1
6	1.11.10.082.00	Gear 19 T	1
7	0.08.01.005.00	Seal 20x30x7	1
8	1.14.03.085.00	Shaft	1
9	0.07.03.001.00	Circlip RS15 UNI 7434	2
10	1.22.01.050.00	Fork	1
11	0.07.02.004.00	Circlip 52i UNI 7437	2
12	1.13.01.129.00	Shaft	1
13	0.10.01.001.00	Bearing 6205	2
14	1.17.02.069.00	Splined sleeve	1
15	1.29.01.001.00	Gasket PTO/gearbox SAE 6-bolt/metr.0,5	1
16	1.14.01.048.00	Shaft	1

REF.	CODE	DESCRIPTION	QT.
17	0.05.02.001.00	Roll pin 4x18 UNI 6873	1
18	0.10.06.008.00	Needle cage K25x35x25	1
19	0.08.99.005.00	Gasket 1"	1
20	0.12.01.074.00	Retainer 1" Gas	1
35	0.04.01.119.00	Washer 1"	1
36	0.07.01.027.00	Circlip AS15x1,5 DIN 471	1
37	0.07.02.003.00	Circlip 49i UNI 7437	1
38	0.08.02.003.00	O-Ring OR 119	1
39	0.08.02.004.00	O-Ring OR 147	1
40	0.08.02.100.00	O-Ring OR 123	1
41	0.08.02.107.00	O-Ring OR 144 60° Shore	1
42	1.08.02.025.00	Cylinder	1
43	1.21.02.049.00	Piston	1
44	1.24.01.004.00	Covermod4/2 G1/8	1
45	0.08.02.014.00	O-Ring OR 3081	1